58. Warrea candida. (aliàs Huntleya candida, Hort.) An orchidaceous epiphyte from Bahia, with handsome purple and white flowers. Introduced by M. Morel of Paris, flowered with M. Pescatore in Feb., 1850. (Fig. 22 magnified).

W. candida; foliis latoligulatis apice recurvis, floribus 2-3, sepalis petalisque ovalibus acutissimis, labello subquadrato apice angustiore retuso basi saccato angulato inflexo carnosissimo dente crasso tridentato in medio et altero simplici acuminato utrinque plicisque 3 parvis in faciem superiorem.

The accompanying figure represents a flower of this plant about four times the natural size. M. Pescatore, from whom we received it by post, states that he bought it from M. Morel, under the name of Huntleya Meleagris. M. Morel

informs us that he im-Bahia, his collector havleagues in the interior of ing to M. Luddemann, Pescatore's garden at La somer than *Huntleya* pure white, the centre of the edge blue-violet, at with red. The plant is grown leaves not being The flowers grow three manner as in the Huntnice plant, in the way of



ported it in 1848 from ing found it about 150 that province. Accordance director of M. Celle, the species is hand-violacea. The flower is the lip purple, towards the base white, streaked of small stature, the full-more than 9 inches long. together, in the same leyas. It seems to be a Warrea Wailesiana.